

Free

WEST YORKSHIRE SPINNERS



Sophie

Ladies Textured Waistcoat in Bo Peep DK
by Sarah Hatton

Sophie – Knitted Ladies Textured Waistcoat by Sarah Hatton


Tension

It is essential to work to the stated tension in order to achieve your desired fabric and garment size. You should always start by knitting a tension square before knitting the full garment.

If you have fewer stitches than stated you will need to go down needle sizes until the correct tension is achieved. If you have more, you will need to go up needle sizes. Please check individual patterns for tension before starting your garment.

Finishing

We recommend using mattress stitch for seaming your garment. Once your garment is complete, it is essential to block your knitting. Pin your garment out to the size stated in the pattern, cover with a damp cloth and leave to dry.

52% FALKLAND WOOL 48% NYLON		
DK	 4mm US6	 4mm US6
Tension 10cm/4"sq	112 122 Metres Yards	50g Ball
 28 rows 22 sts	 Reshape whilst damp Do not tumble dry	
52% WOOL/WOLLE/LANA/LAINE/ULL/VILLA 48% NYLON/POLYAMID/POLIAMIDA/POLYAMIDE/POLYAMID/POLYAMIDI		

Abbreviations

*	repeat the instructions following the single asterisk as directed
()	work instructions within brackets as many times as directed
[]	work instructions within brackets for a specific size
0	no times
alt	alternate
beg	beginning
cont	continue
dec	decrease(ing)
foll	following
g-st	garter stitch (every row knit)
inc	increase(ing)
K	knit
K2tog	knit 2 together
P	purl
patt	pattern
rem	remain(ing)
rep	repeat
RS	right side
st(s)	stitch(es)
tbl	through back of loop
tog	together
WS	wrong side

Design: **Sarah Hatton**

Technical Editors: **Helen Birch and Jill Gray**

Copyright: The designs in this pattern are copyrighted and must not be knitted for resale.

Reproduction of this pattern is protected by copyright and sold on the condition that it is used for non-commercial purposes. No part of this pattern may be reproduced for resale.

Please note that all quantities in this pattern are based on average usage and therefore are approximate. We cannot accept responsibility for the finished items if any yarn other than the one specified is used.

Although every effort has been made to ensure that instructions are correct, West Yorkshire Spinners cannot accept any liabilities.

Owing to photography and printing restrictions the colour reproduction is matched as closely as possible to the yarn.

Sophie

Ladies Textured Waistcoat

Skill Level: ● ● ● ○ ○

Yarn: West Yorkshire Spinners – Bo Peep DK

Short Version



Safari Park (1196)

9 [10:11:12:13:15:16:18:19] x 50g

Long Version (not shown)



Safari Park (1196)

10 [11:13:14:16:17:19:20:23] x 50g

Measurements

To Fit

cm	71–76	81–86	91–97	102–107	112–117	122–127	132–137	142–148	152–158
in	28–30	32–34	36–38	40–42	44–46	48–50	52–54	56–58	60–62

Actual Size

cm	89	99	111	121	131	141	151	162	172
in	35	39	43¾	47¾	51½	55½	59½	63¾	67¾

Short Version

cm	54	56	58	60	62	64	66	67	68
----	----	----	----	----	----	----	----	----	----

Long Version

cm	60	62	64	66	68	70	72	73	74
----	----	----	----	----	----	----	----	----	----

Sleeve Length (including underarm shaping)

cm	16	16	16	16	18	18	18	18	18
----	----	----	----	----	----	----	----	----	----

Equipment

One pair 3.25mm (UK10/US3) knitting needles

One 3.25mm (UK10/US3) circular needle (at least 80cm in length)

One pair 4mm (UK8/US6) knitting needles

One 4mm (UK8/US6) circular needle (at least 80cm in length)

Six stitch markers

Tension

24 sts and 30 rows to 10cm over ridge pattern on 4mm needles
or size needed to achieve stated tension.

It is essential to work to the stated tension to ensure success.



Back

Using 4mm needles, cast on 107 [119:133:145:157:169:181:195:207] sts.

Row 1 (RS): *K1, P1, rep from * to last st, K1.

Row 2: P1, *K1, P1, rep from * to end.

Row 3: K to end.

Row 4: P to end.

Row 5: *P1, K1, rep from * to last st, P1.

Row 6: K1, *P1, K1, rep from * to end.

Row 7: K to end.

Row 8: P to end.

These 8 rows set ridge pattern and are repeated.

Cont in patt as set (throughout) until Back measures 26 [26:26:26:27:28:29:29:29]cm for **Short Version** and 32 [32:32:32:33:34:35:35:35]cm for **Long Version** from cast on edge, ending with **RS** facing for next row.

Shape Underarm

Pattern Note

Change to 4mm circular needle when sts become too numerous for straight needles.

Next row (RS): Inc in 1st st, patt to last 2 sts, inc in next st, patt 1. 109 [121:135:147:159:171:183:197:209] sts.

Next row: Patt to end.

These 2 rows set underarm shapings.

Work 2 rows more without shaping.

Work 8 rows inc 1 st at each end of next and every foll alt row, working inc sts in patt. 117 [129:143:155:167:179:191:205:217] sts.

Cast on 7 [7:7:7:9:9:9:9] sts at end of next 2 rows.

131 [143:157:169:185:197:209:223:235] sts.

Place markers at each end of last row to identify beg of armhole.

Cont without shaping until armholes measure 20 [22:24:26:27:28:29:30:31]cm from markers, ending with **RS** facing for next row.

Shape Shoulders

Cast off 8 [10:11:12:14:15:16:17:18] sts in patt at beg of next 2 [8:8:6:8:8:8:4:4] rows. 115 [63:69:97:73:77:81:155:163] sts.

Cast off 9 [10:12:13:14:15:17:18:19] sts in patt at beg of next 8 [2:2:4:2:2:2:6:6] rows. 43 [43:45:45:45:47:47:47:49] sts.

Cast off rem 43 [43:45:45:45:47:47:47:49]sts in patt.

Left Front

Using 4mm needles, cast on 47 [53:61:67:73:79:85:91:97] sts.

Work in ridge patt as set on Back (throughout) until Left Front measures 26 [26:26:26:27:28:29:29:29]cm for **Short Version** and 32 [32:32:32:33:34:35:35:35]cm for **Long Version** from cast on edge, ending with **RS** facing for next row.

Place marker at beg of last row to identify beg of front edge shaping.

Shape Underarm and Front Edge

Next row (RS): Inc in 1st st, patt to last 4 sts, K2tog, K2. 47 [53:61:67:73:79:85:91:97] sts.

Next row: P3, patt to end.

These 2 rows set underarm and front edge shapings.

Work 2 rows more without shaping.

Work 8 rows inc 1 st **as before** at underarm edge in next and every foll alt row, **at the same time** dec 1 st **as before** at front edge in next and foll 4th row, working inc sts in patt. 49 [55:63:69:75:81:87:93:99] sts.

Next row (RS): Patt to last 4 sts, K2tog, K2.

Next row: Patt to end, cast on 7 [7:7:7:9:9:9:9] sts. 55 [61:69:75:83:89:95:101:107] sts.

Place marker at end of last row to identify beg of armhole.

Dec 1 st **as before** at front edge only in 3rd and every foll 4th row to 48 [57:62:71:81:85:92:99:104] sts, then on every foll 6th row to 44 [50:56:62:70:75:81:88:93] sts.

Cont without shaping until armhole measures same as Back to beg of shoulder shaping, ending with **RS** facing for next row.

Shape Shoulder

Next row (RS): Cast off 8 [10:11:12:14:15:16:17:18] sts in patt, patt to end. 36 [40:45:50:56:60:65:71:75] sts.

Work 1 row.

Rep last 2 rows 0 [3:3:2:3:3:1:1] times more.

36 [10:12:26:14:15:17:54:57] sts.

For 1st, 4th, 8th and 9th sizes only

Next row: Cast off 9 [13:18:19] sts in patt, patt to end. 27 [13:36:38] sts.

Work 1 row.

Rep last 2 rows 2 [0:1:1] times more. 9 [13:18:19] sts.

For all sizes

Cast off rem 9 [10:12:13:14:15:17:18:19] sts in patt.





Right Front

Using 4mm needles, cast on 47 [53:61:67:73:79:85:91:97] sts.

Work in ridge patt as set on Back (throughout) until Right Front measures 26 [26:26:26:27:28:29:29:29]cm for **Short Version** and 32 [32:32:32:33:34:35:35:35]cm for **Long Version** from cast on edge, ending with **RS** facing for next row.

Place marker at end of last row to identify beg of front edge shaping.

Shape Front Edge and Underarm

Next row (RS): K2, K2togtbl, patt to last 2 sts, inc in next st, patt 1. 47 [53:61:67:73:79:85:91:97] sts.

Next row: Patt to last 3 sts, P3.

These 2 rows set front and underarm shapings.

Work 2 rows more without shaping.

Work 8 rows dec 1 st **as before** at front edge in next and foll 4th row, **at the same time** inc 1 st **as before** at underarm edge in next and every foll alt row, working inc sts in patt. 49 [55:63:69:75:81:87:93:99] sts.

Next row (RS): K2, K2togtbl, patt to end, cast on 7 [7:7:7:9:9:9:9:9] sts. 55 [61:69:75:83:89:95:101:107] sts.

Place marker at beg of last row to identify beg of armhole.

Next row (WS): Patt to end.

Dec 1 st **as before** at front edge only in 3rd and every foll 4th row to 48 [57:62:71:81:85:92:99:104] sts, then on every foll 6th row to 44 [50:56:62:70:75:81:88:93] sts.

Cont without shaping until armhole measures same as Back to beg of shoulder shaping, ending with **WS** facing for next row.

Shape Shoulder

Next row (WS): Cast off 8 [10:11:12:14:15:16:17:18] sts in patt, patt to end. 36 [40:45:50:56:60:65:71:75] sts.

Work 1 row.

Rep last 2 rows 0 [3:3:2:3:3:1:1] times more. 36 [10:12:26:14:15:17:54:57] sts.

For 1st, 4th, 8th and 9th sizes only

Next row: Cast off 9 [13:18:19] sts in patt, patt to end. 27 [13:36:38] sts.

Work 1 row.

Rep these 2 rows 2 [0:1:1] times more. 9 [13:18:19] sts.

For all sizes

Cast off rem 9 [10:12:13:14:15:17:18:19] sts in patt.

Border

For Short Version

Join shoulder seams. With **RS** facing and using 3.25mm circular needle, beg at lower edge of Right Front, pick up and K65 [65:64:65:67:68:70:70:71] sts evenly up straight edge to marker, 66 [68:73:77:80:83:86:89:92] sts evenly up front edge, 43 [43:45:45:45:47:47:47:49] sts from back neck, 66 [68:73:77:80:83:86:89:92] sts evenly down front edge to marker and 65 [66:65:66:68:69:71:70:71] sts evenly down straight edge to cast on edge. 305 [310:320:330:340:350:360:365:375] sts.

****Row 1 (WS):** K1, *P3, K2, rep from * to last 4 sts, P3, K1.

Row 2: K4, *P2, K3, rep from * to last st, K1.

These 2 rows set rib and are repeated.

Cont in rib until Border measures 6cm, ending with **RS** facing for next row.

Cast off in rib.**

For Long Version

Join shoulder seams. With **RS** facing and using 3.25mm circular needle, beg at lower edge of Right Front, pick up and K80 [80:79:80:82:83:85:85:86] sts evenly up straight edge to marker, 66 [68:73:77:80:83:86:89:92] sts evenly up front edge, 43 [43:45:45:45:47:47:47:49] sts from back neck, 66 [68:73:77:80:83:86:89:92] sts evenly down front edge to marker and 80 [81:80:81:83:84:86:85:86] sts evenly down straight edge to cast on edge. 335 [340:350:360:370:380:390:395:405] sts.

Work from ** to ** as given for Border of **Short Version**.

Sleeve Cuffs (both alike)

With **RS** facing and using 3.25mm circular needle, pick up and K101 [111:121:131:136:141:146:151:156] sts evenly around armhole edge between markers.

Row 1 (WS): P2, *K2, P3, rep from * to last 4 sts, K2, P2.

Row 2: K2, P2, *K3, P2, rep from * to last 2 sts, K2.

These 2 rows set rib and are repeated.

Cont in rib until Sleeve Cuff measures 11 [11:11:11:12:12:12:12:12]cm, ending with **RS** facing for next row.

Cast off in rib.

Belt

Using 3.25mm needles, cast on 15 sts.

Row 1 (RS): K4, (P2, K3) twice, K1.

Row 2: K1, (P3, K2) twice, P3, K1.

These 2 rows set rib.

Cont in rib as set until Belt measures

110 [121:131:141:151:161:171:181:191]cm from cast on edge, ending with **RS** facing for next row.

Cast off in rib.

Belt Loops (both alike)

(Optional – not shown)

Using 3.25mm needles, cast on 6 sts.

Row 1 (RS): K6.

This row sets garter stitch and is repeated.

Cont in g-st as set until Belt Loop measures 7cm from cast on edge, ending with **WS** facing for next row.

Cast off knitwise.

Making Up

Join side and underarm seams. Sew belt loops in position on side seams as required for preferred fit.

Weave in ends and pin your garment out to size stated in the pattern, cover with a damp cloth and leave to dry.





WEST YORKSHIRE SPINNERS



WYS1000321



Join our Facebook Community
WYS Crafter's Hub

2 Airedale Park, Royd Ings Avenue, Keighley, West Yorkshire, BD21 4DG

01535 664500 sales@wyspinners.com wyspinners.com